

THE EMBODIMENTS OF THE INVENTION IN WHICH AN EXCLUSIVE  
PROPERTY OR PRIVILEGE IS CLAIMED ARE DEFINED AS FOLLOWS:

1. A battery operated ionizer comprising
  - a) a battery connected to provide low voltage current  
5 to an electrical circuit;
  - b) an oscillator circuit within the electrical circuit  
powered by the battery for driving a voltage  
conversion circuit to provide an ionizing voltage  
to an output capacitor means;
  - 10 c) an ion-emitter connected to receive charge from the  
voltage conversion circuit and output capacitor  
means; and
  - d) a counter-electrode connected to said electrical  
circuit,
- 15 wherein said oscillator produces intermittent oscillations  
such that the voltage established at the output capacitor  
means is an ionizing voltage and wherein, ion emission  
continues during the time the oscillator is not producing  
oscillations, supplied by charge from the output capacitor  
20 means.
2. An ionizer as in claim 1 wherein the voltage  
conversion circuit comprises a high voltage step-up  
transformer for producing said ionizing voltage.
3. An ionizer as in claim 2 wherein the voltage  
25 conversion circuit comprises a diode-capacitor multiplier  
network driven by the transformer for producing said ionizing  
voltage.

4. An ionizer as described in claim 1 in which the voltage conversion circuit is a first high voltage producing network for providing a positive or negative polarity DC output, and wherein said ionizer further comprises a second  
5 high voltage producing network for producing an opposite polarity DC high voltage to that of said first network, said second network being connected to said counter-electrode.

5. An ionizer as described in claim 1 wherein said ion-emitter is provided with a negative voltage to produce  
10 negative ions.

6. An ionizer as in claim 1 comprising a conductive connection means whereby a human body may become electrically connected to said electrical circuit to serve as the counter electrode.

15 7. An ionizer as in claim 7 wherein said conductive connection means is a conductive strap that supports the ionizer as a pendant.

8. An ionizer as in claim 1 wherein said counter-electrode has a cleanable dust collecting surface.  
20

9. An ionizer as in claim 8 wherein said ion emitter is carried by a base and said dust collecting surface is mounted from said base to permit air to flow to pass by the ion-emitter and then to the cleanable dust collecting surface for  
25 the deposit of dust thereon.

10. An ionizer as in claim 9 wherein said dust collecting surface is mounted in a spaced relationship to said ion-emitter, carried by support means extending from said base, said counter-electrode being detachable from said base and  
5 support means to permit separate cleaning of the dust collecting surface.

11. An ionizer as in claim 10 wherein the dust collecting surface is mounted above said ion emitter.